

# A First Investigation of Sturmian Trees

Jean Berstel<sup>1</sup>, Luc Boasson<sup>2</sup>, Olivier Carton<sup>2</sup> and Isabelle Fagnot<sup>1</sup>

<sup>1</sup> Institut Gaspard-Monge (IGM), Université de Marne-la-Vallée and CNRS,  
Marne-la-Vallée

<sup>2</sup> Laboratoire d'informatique algorithmique: fondements et applications (LIAFA),  
Université Denis-Diderot (Paris VII) and CNRS, Paris

**Abstract.** We consider Sturmian trees as a natural generalization of Sturmian words. A Sturmian tree is a tree having  $n+1$  distinct subtrees of height  $n$  for each  $n$ . As for the case of words, Sturmian trees are irrational trees of minimal complexity. We give various examples of Sturmian trees, and we characterize one family of Sturmian trees by means of a structural property of their automata.

## 1 Introduction

Sturmian words have been extensively studied for many years (see e.g. [4, 5] for recent surveys). We propose here an extension to trees.

A *Sturmian tree* is a complete labeled binary tree having exactly  $n+1$  distinct subtrees of height  $n$  for each  $n$ . Thus Sturmian trees are defined by extending to trees one of the numerous equivalent definitions of Sturmian words. Sturmian trees share the same property of minimal complexity than Sturmian words: indeed, if a tree has at most  $n$  distinct subtrees of height  $n$  for some  $n$ , then the tree is rational, i.e. it has only finitely many distinct infinite subtrees.

This paper presents many examples and some results on Sturmian trees. The simplest method to construct a Sturmian tree is to choose a Sturmian word and to repeat it on all branches of the tree. We call this a uniform tree, see Fig. 1. However, many other categories of Sturmian trees exist.

Contrary to the case of Sturmian words, and similarly to the case of episturmian words, there seems not to exist equivalent definitions for the family of Sturmian trees. This is due to the fact that, in our case, each node in a tree has two children, which provides more degrees of freedom. In particular, only one of the children of a node needs to be the root of a Sturmian tree to make the whole tree Sturmian.

Each tree labeled with two symbols can be described by the set of words labeling paths from the root to nodes sharing a distinguished symbol. The (infinite) minimal automaton of the language has quite interesting properties when the tree is Sturmian. The most useful is that the Moore equivalence algorithm produces just one additional equivalence class at each step. We call these automata *slow*.





$h$  rooted at  $w$ , that is the tree of domain  $w^{-1} \text{dom}(t) \cap D^{<h}$  and defined by  $t[w, h](u) = t(wu)$ . A factor of height 0 is always the empty tree. A factor  $t[w, 1]$  of height 1 can be identified with the letter  $t(w)$  of  $A$  that labels its root. A prefix is a tree of the form  $t[\varepsilon, h]$ .

Factors of height  $h$  are sometimes considered to have height  $h - 1$  in the literature (e.g. [1]). In this paper, the height of a finite tree is the number of nodes along a maximal branch and not the number of steps in-between. Our convention will be justified by Proposition 1 which extends a similar result for words in similar terms.

A tree is *rational* if it has finitely many distinct suffixes. Recall (see e.g. [2]) that a tree over an alphabet  $A$  is rational if and only if  $t^{-1}(a) = \{w \in D^* \mid t(w) = a\}$  is a regular subset of  $D^*$  for each letter  $a$  of  $A$ . For instance the Dyck tree  $t$  of Example 1 is not rational since  $t^{-1}(a)$  is the Dyck language which is not regular [6]. The following proposition gives a characterization of complete rational trees using factors. It extends to trees the characterization of ultimately periodic words by means of their subword complexity [3]. This statement appears in [1].

**Proposition 1.** *A complete tree  $t$  is rational if and only there is an integer  $h$  such that  $t$  has at most  $h$  distinct factors of height  $h$ .*

A complete tree is *Sturmian* if for any integer  $h$ , it has  $h + 1$  factors of height  $h$ . Since the factors of height 1 are the letters  $t(w)$  a Sturmian tree is defined over a two letter alphabet. In what follows, we always assume that this alphabet is  $\{a, b\}$ .

We will prove later that the Dyck tree given in Example 1 is indeed Sturmian. We start with some simpler examples of Sturmian trees.


In the first of these examples, the same infinite word is repeated along each branch of the tree.

*Example 2. (Uniform trees)* Let  $x = x_0x_1x_2\cdots$  be an infinite word over an alphabet  $A$ , where  $x_0, x_1, x_2, \dots$  are letters. The *uniform tree* of  $x$  is the complete tree  $t$  defined by  $t(w) = x_{|w|}$ . This means of course that all nodes of the same level  $n$  in the tree are labeled with the same symbol  $x_n$ . If  $x$  is a Sturmian word, then its uniform tree  $t$  is a Sturmian tree. Figure 1 shows the top of the uniform tree of the Fibonacci word  $x = abaaba\cdots$ .

*Example 3. (Left branch tree)* Let  $x = x_0x_1x_2\cdots$  be an infinite word over  $A$ , where  $x_0, x_1, x_2, \dots$  are letters. We define a complete tree  $t$  by  $t(w) = x_{|w|_0}$ . (Recall that  $|w|_d$  is the number of occurrences of  $d$  in  $w$ .)

The label of each node  $w$  is the letter  $x_n$  of  $x$ , where  $n$  is the number of symbols 0 occurring on the path from the root to  $w$ . The label of the root node is  $x_0$ . If the label of  $w$  is  $x_n$ , the labels of  $w0$  and  $w1$  are respectively  $x_{n+1}$  and  $x_n$ .

In particular, the letters of the word  $x$  label the nodes of the leftmost branch of the tree, and all nodes on a rightmost branch share the same label. Figure 3 shows the top of the left branch tree of the Fibonacci word  $x = abaaba\cdots$ .



**Fig. 3.** The top of a left branch tree for the word  $abaaba \dots$ .

We write  $x[n, h]$  for the factor  $x_n x_{n+1} \dots x_{n+h-1}$  of the word  $x$ . In Example 2, two factors  $t[w, h]$  and  $t[w', h]$  of height  $h$  are equal if and only if  $x[|w|, h] = x[|w'|, h]$ . In Example 3,  $t[w, h]$  and  $t[w', h]$  are equal if and only if  $x[|w|_0, h] = x[|w'|_0, h]$ . It follows that in these examples, the tree  $t$  is Sturmian if and only if the word  $x$  is Sturmian.

*Example 4. (Indicator tree)* Let  $x$  be an infinite word over  $D$ . The *indicator tree* of  $x$  is the complete tree  $t$  defined by

$$t(w) = \begin{cases} a & \text{if } w \text{ is a prefix of } x, \\ b & \text{otherwise.} \end{cases}$$


In other terms, there is exactly one infinite path in  $t$  with all its nodes labeled by the letter  $a$ . The letters of this path are the letters of the word  $x$ . Equivalently, the indicator tree of the infinite word  $x$  is the characteristic tree of the language composed of its (finite) prefixes. Figure 4 shows the indicator tree of the Fibonacci word. It can be easily proved that  $x$  is a Sturmian word if and only if its indicator tree  $t$  is a Sturmian tree.

The following example is a variation on Example 4. For a finite word  $w$  and an infinite word  $x$ , we denote by  $d(w, x)$  the integer  $|w| - |u|$  where  $u$  is the longest common prefix of  $w$  and  $x$ .


*Example 5. (Band indicator tree)* Let  $x$  be an infinite word over  $D$  and let  $k$  be a non-negative integer. The *band indicator tree of width  $k$*  is the complete tree  $t$  defined by

$$t(w) = \begin{cases} a & \text{if } d(w, x) \leq k, \\ b & \text{otherwise.} \end{cases}$$

Again,  $x$  is a Sturmian word if and only if  $t$  is a Sturmian tree. The band indicator tree of width 0 is the indicator tree defined in Example 4, since  $d(w, x) \leq 0$  if and only if  $w$  is a prefix of  $x$ .



**Fig. 4.** The top of the indicator tree for the Fibonacci word  $01001010\dots$ . The only nodes labeled  $a$  are on the Fibonacci path.



**Fig. 5.** Automaton accepting the prefixes of  $01001010\dots$ . All states excepted  $\infty$  are final.

### 3 Rank and Degree

Recall that a *branch* of a tree is a (finite or infinite) word  $x$  over  $D$  such that each prefix of  $x$  is a node of the tree.

A node  $w$  of a tree  $t$  is called *rational* if the suffix  $t[w]$  is a rational tree. It is called *irrational* otherwise. The *rank* of a tree  $t$  is the number of distinct rational suffixes of  $t$ . This number is either a nonnegative integer or infinite.

If  $w$  is an irrational node, then its prefixes also are irrational. Furthermore, at least one of the two words  $w0$  and  $w1$  also is irrational. The set of irrational nodes of a tree is a tree domain in which any finite branch is the prefix of an infinite branch.

The *degree* of a tree  $t$  is the number of infinite branches composed of irrational nodes. This number is either a nonnegative integer or infinite.

As a first example, consider the Dyck tree defined in Example 1. It has rank 1 and has infinite degree. A node  $w$  of this tree is rational if it is not a prefix of some Dyck word. The set of rational nodes is thus the set  $L1D^*$  where  $L$  is

the set of Dyck words. On the contrary, each branch in  $00^*10^\omega$  only contains irrational nodes. The degree of the Dyck tree is thus infinite.

Next, let  $t$  be the indicator tree of a Sturmian word  $x$ , as defined in Example 4. A node  $w$  of  $t$  is irrational if and only if it is a prefix of  $x$ . Thus, the word  $x$  itself is the only infinite branch composed of irrational nodes, and therefore the degree of this tree is 1. All rational subtrees are the same, so this tree has rank 1.

These examples show that there are Sturmian trees of degree 1 or of infinite degree. It turns out that there exist also Sturmian trees of finite degree greater than 1. In the final section, we construct a Sturmian tree of degree 2 but this construction is rather involved.

Here is a table summarizing the relations between degree and rank for Sturmian trees. A tree with rank 0 always has infinite degree since there is no rational node.

| degree            | rank  |                        |
|-------------------|---|------------------------|
|                   | finite  | infinite               |
| 1                 | <i>characterized in Theorem 1</i><br>Indicator tree (rank 1)<br>Band width tree (rank $d + 1$ ) | Example 8              |
| $\geq 2$ , finite | <i>empty by Proposition 4</i>   | example not given here |
| infinite          | Uniform tree (rank 0)<br>Left branch tree (rank 0)<br>Dyck tree (rank 1)                        | example not given here |

The main result of the paper is the characterization of Sturmian trees of degree 1 and with finite rank by a structural property of the minimal automaton of its language.

## 4 Slow Automata


Let  $t$  be a complete tree over  $\{a, b\}$ . The *language* of  $t$  is the set  $t^{-1}(a)$ . We study properties of trees by considering automata recognizing their language. In particular, minimization of automata will play a central role.

We recall elementary properties of automata, just observing that they hold also when the set of states is infinite. We only use deterministic and complete automata. An *automaton*  $\mathcal{A}$  over a finite alphabet  $D$  is composed of a state set  $Q$ , a set  $F \subseteq Q$  of *final states*, and of a *next-state function*  $Q \times D \rightarrow Q$  that maps  $(q, d)$  to a state denoted by  $q \cdot d$ . Given a distinguished state  $i$ , a word  $w$  over  $D$  is *accepted* by the automaton if the state  $i \cdot w$  is final. When we emphasize the existence of state  $i$ , we call it the initial state as usual.

An automaton  $\mathcal{B}$  is a *subautomaton* of an automaton  $\mathcal{A}$  if its set of states is a subset of the set of states of  $\mathcal{A}$  which is closed under the next-state function of  $\mathcal{A}$ .

*Example 6. (Dyck automaton)* The following automaton accepts the Dyck language. The set of states is  $Q = \mathbb{N} \cup \{\infty\}$ . The initial and unique final state is 0.

The next state function is given by  $n \cdot 0 = n + 1$  for  $n \geq 0$ ,  $n \cdot 1 = n - 1$  for  $n \geq 1$ ,  $0 \cdot 1 = \infty$  and  $\infty \cdot 0 = \infty \cdot 1 = \infty$ . This automaton is depicted in Fig. 6. We call it the *Dyck automaton*. The singleton  $\{\infty\}$  is the unique proper subautomaton of the Dyck automaton.



**Fig. 6.** Automaton of the Dyck language. State 0 is both the initial and the unique final state.

Given an arbitrary automaton  $\mathcal{A}$ , we define inductively a sequence  $(\sim_h)_{h \geq 1}$  of equivalence relations on  $Q$  as follows.

$$\begin{aligned} q \sim_1 q' &\iff (q \in F \iff q' \in F) \\ q \sim_{h+1} q' &\iff (q \sim_h q' \text{ and } \forall d \in D \ q \cdot d \sim_h q' \cdot d) \end{aligned}$$

These are well-known in the case of finite automata, and many properties extend to general automata. We call  $\sim_h$  the *Moore equivalence* of order  $h$ . The *index* of  $\sim_h$  is the number of equivalence classes of  $\sim_h$ . The Moore minimization algorithm consists in computing inductively the Moore equivalences.

The equivalence  $\sim_{h+1}$  is a refinement of the equivalence  $\sim_h$ . Thus the index of  $\sim_{h+1}$  is at least the index of  $\sim_h$ . An automaton is called *slow* if it is minimal and if the index of  $\sim_h$  is at most  $h + 1$  for all  $h \geq 1$ . If  $\sim_h$  and  $\sim_{h+1}$  are different, that there is one class  $c$  of  $\sim_h$  which gives raise to two classes in  $\sim_{h+1}$ . We say that  $\sim_{h+1}$  *splits* class  $c$ , or that class  $c$  is *split* by  $\sim_{h+1}$ .

It is sometimes useful to distinguish, in a minimal automaton, two kinds of states. A state  $p$  is *rational* if it generates a finite subautomaton. States which are not rational are called *irrational*. In the minimal automaton associated to the language of a tree, a state is rational if and only if it corresponds to the root of a rational tree.

The following proposition shows that the classes of  $\sim_h$  are in a one to one correspondence with the factors of  $t$  of height  $h$ .

**Proposition 2.** *Let  $t$  be a complete tree over  $\{a, b\}$  and let  $\mathcal{A}$  be an automaton over  $D$  accepting the language of  $t$ , with initial state  $i$ . For any words  $w, w' \in D^*$  and any positive integer  $h$ , one has*

$$i \cdot w \sim_h i \cdot w' \iff t[w, h] = t[w', h].$$


**Corollary 1.** *Let  $t$  be a complete tree over  $\{a, b\}$  and let  $\mathcal{A}$  be an automaton over  $D$  accepting the language of  $t$ . The tree  $t$  is Sturmian iff the minimal automaton of its language is infinite and slow.*

## 5 Trees with Finite Rank

### 5.1 A Tree of Degree One

In this section, we give an example of a family of Sturmian trees with finite rank and of degree 1 by describing the family of automata accepting their languages. These (infinite) automata are based on a finite slow automaton. In this automaton, a path is distinguished (called a lazy path). The infinite automaton is obtained by repeating the lazy path and intertwining the copies with symbols taken from an infinite Sturmian word.

In the next section, we show that any Sturmian tree of degree 1 and with finite rank can be obtained in this way.



**Fig. 7.** A slow automaton  $\hat{\mathcal{A}}$  for the Fibonacci word  $x_0x_1\cdots = 01001010\cdots$ . The final states are  $p, r, 0, 2, 4, \dots$ .

Let  $\mathcal{A} = (Q, \{i\}, F)$  be a finite deterministic automaton over the alphabet  $D$  with  $N$  states. We assume that  $\mathcal{A}$  has the two following properties. First,  $\mathcal{A}$  is *slow*. Recall that by definition, this means that the automaton is minimal and that the Moore minimization algorithm splits just one equivalence class into two new classes at each step.

Next, we suppose that there is a *lazy path* in  $\mathcal{A}$ . This is a path

$$\pi : q_0 \xrightarrow{a_0} q_1 \xrightarrow{a_1} q_2 \cdots q_{h-1} \xrightarrow{a_{h-1}} q_h$$

of length  $h$ , where  $q_0$  and  $q_h$  are the two states which are separated in the last step in the Moore algorithm together with the condition that

$$q_{h-1} \cdot \bar{a}_{h-1} = q_0 \text{ or } q_h$$

where  $\bar{a} = 1 - a$  for  $a \in D$ . If  $N \geq 2$ , the first of these conditions means that  $q_0 \sim_{N-2} q_h$  and  $q_0 \not\sim_{N-1} q_h$ . As a consequence, the second property means that  $q_{h-1} \cdot \bar{a}_{h-1}$  cannot be separated from  $q_{h-1} \cdot a_{h-1}$  before the very last step of the Moore algorithm.

*Example 7.* The automaton  $\hat{\mathcal{A}}$  given in Fig. 7 has a subautomaton  $\mathcal{A}$  composed of the states  $\{p, s, r\}$ . This subautomaton is slow: the first partition is into  $\{p, r\}$  and  $\{s\}$ , and the second partition is equality. The finite subautomaton  $\mathcal{A}$  in Fig. 7 admits for example the lazy path  $\pi : p \xrightarrow{0} s \xrightarrow{0} p \xrightarrow{0} s \xrightarrow{1} r$ , and indeed  $s \xrightarrow{0} p$ . Here  $h = 4$ .

Given the finite slow automaton  $\mathcal{A}$ , the lazy path  $\pi$  and an infinite word  $x = x_0x_1x_2\cdots$  over  $D$ , we now define an infinite minimal automaton  $\hat{\mathcal{A}}$  which accepts the set of nodes labeled  $a$  of a tree  $t$ . We will show that if  $x$  is a Sturmian word, then  $t$  is a Sturmian tree of degree 1. This automaton is the *extension* of  $\mathcal{A}$  by  $\pi$  and  $x$ , and is denoted by  $\hat{\mathcal{A}} = \mathcal{A}(\pi, x)$ .

The set of states of  $\hat{\mathcal{A}}$  is  $Q \cup \mathbb{N}$ . For convenience, we use a mapping  $q : \mathbb{N} \rightarrow Q$  defined by  $q(n) = q_{n \bmod h}$  for any  $n \in \mathbb{N}$ . Here and below  $q_0, \dots, q_h$  are the states of the lazy path of  $\mathcal{A}$  and  $a_0, \dots, a_{h-1}$  are the letters labeling the path. The initial state of  $\hat{\mathcal{A}}$  is 0 and its set of final states is  $F \cup q^{-1}(F)$ . The next-state function of  $\mathcal{A}$  is extended to  $\hat{\mathcal{A}}$  by setting, for  $n \in \mathbb{N}$ ,

( $\alpha$ ) if  $n \not\equiv h-1 \pmod{h}$ , then

$$n \cdot a_{n \bmod h} = n + 1, \quad n \cdot \bar{a}_{n \bmod h} = q(n) \cdot \bar{a}_{n \bmod h}$$

( $\beta$ ) if  $n = ih + h - 1$  for some  $i \geq 0$ , then

$$n \cdot x_i = n + 1, \quad n \cdot \bar{x}_i = q_0$$

The infinite path through the integer states of the automaton  $\hat{\mathcal{A}}$  is composed of an infinite sequence of copies of the lazy path of  $\mathcal{A}$ . For each state  $q(n)$  inside each of the copies of the lazy path, the next-state for the “other” letter, that is the letter  $\bar{a}_{n \bmod h}$ , maps  $q(n)$  back into  $\mathcal{A}$ . Two consecutive copies of the lazy path, say the  $i$ th and  $i+1$ th, are linked together by the letter  $x_i$  of the infinite word  $x$  driving the automaton (see Fig. 7).

**Proposition 3.** *Let  $\hat{\mathcal{A}} = \mathcal{A}(\pi, x)$  be the extension of the finite slow automaton  $\mathcal{A}$  by a lazy path  $\pi$  and an infinite word  $x$ . If the word  $x$  is Sturmian, then  $\hat{\mathcal{A}}$  defines a tree  $t$  which is Sturmian, of degree 1, and having finite rank.*


The tree defined by this automaton has degree 1 since the only irrational states are the integer states  $n$  and they all lie on a single branch. Its rank is the number of states of  $\mathcal{A}$ . We claim that this tree is also Sturmian.

## 5.2 Characterization

In this section, we give a characterization of Sturmian trees of degree 1 which have finite rank by describing the family of automata accepting their languages. These (infinite) automata are extensions of a finite automaton by a lazy path and a Sturmian word.

**Theorem 1.** *Let  $t$  be a Sturmian tree of degree one having finite rank, and let  $\hat{\mathcal{A}}$  be the minimal automaton of the language of  $t$ . Then  $\hat{\mathcal{A}}$  is the extension of a slow finite automaton  $\mathcal{A}$  by a lazy path  $\pi$  and a Sturmian word  $x$ , i.e.  $\hat{\mathcal{A}} = \mathcal{A}(\pi, x)$ .*

Given a tree  $t$  and some Moore equivalence  $\sim_h$  on its minimal automaton, it is convenient to call an equivalence class of  $\sim_h$  an *irrational class* if it is entirely composed of irrational states. It is a *rational class* otherwise. A rational



**Fig. 8.** The tree showing the evolution of the Moore equivalence relations on the automaton given in Fig. 7. Each level describes a partition. Each level has one class splitting into two classes at the next level.

class contains at least one rational state, and may contain even infinitely many irrational states.

Up to now, all our examples of Sturmian trees are of finite rank. It can be observed that for all of them the degree is either 1 or infinite. This is unavoidable.

**Proposition 4.** *The degree of a Sturmian tree with finite rank is either one or infinite.*

## 6 A Tree With Infinite Rank


There exist Sturmian trees with infinite rank. The following example gives a Sturmian tree with infinite rank and of degree 1.

*Example 8.* We define a tree by giving a (minimal) automaton accepting its language. The set of states of the automaton is  $Q = \{n \in \mathbb{N} \mid n \geq 3\} \times \{0, 1\}$ . The set of final states is the set  $\{(n, b) \in Q \mid n \equiv 0 \pmod{2}\}$ . The set  $E$  of transitions is defined as follows. Let  $n = 2^k m$  where  $m \geq 1$  and  $m \not\equiv 0 \pmod{2}$ . The integer  $2^k$  is then the greatest power of 2 which divides  $n$ .

$$(n, b) \cdot 0 = \begin{cases} (2^{k-1} + 1, 0) & \text{if } m = 1 \text{ and } b = 0 \\ (n + 1, b) & \text{otherwise} \end{cases}$$

$$(n, b) \cdot 1 = \begin{cases} (3, 0) & \text{if } k = 0 \\ (4, 0) & \text{if } k = 1 \\ (4, 0) & \text{if } k = 2, m = 1 \text{ and } b = 0 \\ (2^{k-2} + 1, 0) & \text{if } k > 2, m = 1 \text{ and } b = 0 \\ (2^{k-1} + 1, 0) & \text{otherwise} \end{cases}$$

In Fig. 9, we give a picture of this automaton; states of the form  $(n, 0)$  are drawn as circles  $\widehat{n}$  and states of the form  $(n, 1)$  as squares  $\overline{n}$ .



**Fig. 9.** Final states are dark. Observe the fractal-like structure, with a doubling of the size of each block.

## 7 Concluding Remarks

In this paper, we have introduced the notion of Sturmian trees. We have considered two parameters, the degree and the rank, and we have described Sturmian trees of finite rank and finite degree.

We have given several examples of Sturmian trees of finite rank and infinite degree. All these are in some sense easy. There exist more involved examples of trees in this family. Such examples may be constructed using more than one Sturmian word.

In this short note, we have presented only one Sturmian tree of infinite rank which is of degree one. Using some kind of fractal structure, we are able to build Sturmian trees of infinite rank and of degree two or more. Similarly, we know some Sturmian trees for which both degree and rank are infinite. None of these examples is given here due to the lack of space. They will be presented in a forthcoming full version.

## References

1. A. Carpi, A. de Luca, and S. Varricchio. Special factors and uniqueness conditions in rational trees. *Theory of Computing Systems*, 34:375–395, 2001.
2. B. Courcelle. Fundamental properties of infinite trees. *Theoretical Computer Science*, 25:95–165, 1983.
3. E. M. Coven and G. A. Hedlund. Sequences with minimal block growth. *Mathematical Systems Theory*, 7:138–153, 1973.
4. M. Lothaire. *Algebraic Combinatorics on Words*, volume 90 of *Encyclopedia of Mathematics*. Cambridge University Press, 2002.
5. N. Pytheas-Fogg. *Substitutions in Dynamics, Arithmetics and Combinatorics*, volume 1794 of *Lecture Notes in Mathematics*. Springer-Verlag, 2002. Edited by V. Berthé, S. Ferenczi, C. Mauduit and A. Siegel.
6. J. Sakarovitch. *Éléments de théorie des automates*. Vuibert, 2003.